



CLEAR 12 C

Clear12 C films help secure your windows by ensuring that the glass does not shatter, remaining transparent and retaining its overall integrity in the event of an impact, explosion or fire. Ideally suited to covering large glazed expanses, it complies with European Standard EN 12600.



SOLAR SCREEN® Warranty

10 YEARS



Fire-resistance rating





Storage from -5°C to +40°C

3 YEARS



European Standard EN 12600

1**B**1



REACH RoHS compliant





EN 356

WIDTHS AVAILABLE:

122 cm

152 cm

183 cm

TECHNICAL DATASHEET

Data calculated based on film applied to clear glass 3 mm thick (*on double glazing 4-16-4)

Ultraviolet transmission	5 %
Visible light transmission	82 %
Reflection of external visible light	12 %
Reflection of internal visible light	12 %
Total solar energy rejected	20 %
Total solar energy rejected 2*	21 %
Solar ratio:	
Solar energy reflection	10 %
Solar energy absorption	9 %
Solar energy transmission	81 %
Reduction in Solar Glare	16 %
g-value	0.80
u-value	5.7
Shading coefficient	0.9
Tensile strength (kg/cm ²)	61
Elongation at break	125%
Installation type: Interior	
Roll length	30,5 m
Film composition	PET
Thickness	$310~\mu$
Colour from the outside :	

Colour from the outside:

TRANSPARENT

CONSTRUCTION

- 1. Hard scratch resistant layer, for durability and ease of maintenance during window cleaning
 2. High optical quality polyester 100μ
- **3.** Bonding adhesive
- 4. High optical quality polyester 100μ
- **5.** Bonding adhesive
- **6.** High optical quality polyester 100μ

INSTALLATION ADVICE

Clear single pane

Tinted single pane

Clear double pane Tinted double pane

Reflective tinted single pane

Reflective tinted double pane

Gas-filled double pane - Low E STADIP EXT. clear double pane

STADIP INT. clear double pane

*Recommendations provided on the basis of a glazed surface covering up to 2.5m2.

recommended

Vertical installation and on standard glass surface**

7. Reinforced PS Adhesive to accompany the elasticity of the film in case of impact, glass polymerization within 30 days 8. Protection release liner, disposable after installation

MAINTENANCE INSTRUCTIONS

Soapy water solution (ref. 0805 Film on), do not clean for at least a month and do not apply any type of sticker or adhesive on the film.

Non-contractual data, SOLAR SCREEN® reserves the right to modify the composition of its films at any time. Consult our guarantee vouchers and our general conditions of sale.